## Finding of Suitability to Lease

## Building 301, License No. N62470-RP-00259

## Naval Radio Station, Sugar Grove, West Virginia

In accordance with ASN I&E Memorandum of 22 December 1993, I have reviewed the Environmental Baseline Survey (EBS) and/or related appropriate information concerning this property.

I have determined that space within the subject building and an adjacent strip of land is suitable for lease to AT&T Communications. The subject property consists of approximately 1,518 square feet of space within Building 301 and a ten (10) foot strip of land being five (5) feet on either side of the approximate course of the buried cable, southern route to Reddish Knob Radio Relay Station. The following statement applies to the subject property:

X	Hazardous substance notice requirements do not apply to this property, since no hazardous substances were stored for one year or more, are known to have been released, or were disposed on the property. As no environmentally significant environmental concerns exist regarding the history or condition of the subject property or nature of its proposed use, it is neither appropriate nor necessary to consult regulatory agencies concerning this realty instrument.
	Hazardous substance notice requirements apply and must be complied with, which may necessitate certain restrictions which are attached. However, the property is not contaminated with hazardous substances. The appropriate regulatory agencies have been consulted concerning this realty instrument.
	This property contains some level of contamination by hazardous substances, but can be used pursuant to the proposed realty instrument without risk to human health or the environment or interference with the environmental restoration process with specified use restrictions which are attached. The appropriate regulatory agencies have been consulted concerning this realty instrument.

W. D. Lewis

Head, Environmental Support Branch

Environmental Quality Division

Atlantic Division, Naval Facilities Engineering Command